

certificate
no. **BAU 14036**
dated 2014-02-14

Translation

EuroTest Certificate

Name and address of the holder of the certificate: (customer) SBH Tiefbautechnik GmbH
Ferdinand-Porsche-Str. 8
52525 Heinsberg

Product designation: **Slide rail supported trench shoring system made of steel**

Type: Rolling strut box, Type 220 - single slide rail
Rolling strut box, Type 375 and 405 - double slide rail

Testing based on: DIN 4124: October 2002
DIN EN 13331: November 2002

Test report: Hegger und Partner G08

Further details: Single slide rail: Slide rail Type 220 up to length of 4,50 m, max. M = 307 kNm,
Corner slide rail up to length of 4,50 m, max. M = 132 kNm
Double slide rail:
Rail Type 375 up to length of 6,50 m, max. M = 672 kNm
Rail Type 405 up to length of 7,50 m, max. M = 927 kNm
Corner rails up to length of 7,50 m, max. M = 328 kNm.

Consequence certificate number: 09042-E.

Intended Purpose

The permissible earth pressure loading is to be taken from the manufacturer's manual as a function of the system dimensions.

The manufacturer is also Certificate holder

The type tested complies with the test basis specified above.

The holder of the certificate is entitled to affix the ET-mark shown overleaf to the products complying with the type tested.

The present certificate including the right to affix the ET-mark is valid until: **2019-02-13**

Further provisions concerning the validity, the extension of the validity and other conditions are laid down in the Rules of Procedure for Testing and Certification of August 2012.



Dipl.-Ing. Kurt Hey
Certifikation



In any case, the German original shall prevail



Deutsche
Akkreditierungsstelle
D-ZE-17009-09-01